



# Support clamps



## Support clamp, with fastening hole

Support clamp with drill hole for individual mounting solutions, e.g. to accept S hooks or chains. Fastening through knocking onto steel girders.



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488261	SCVH 1.5-4	With mounting hole Ø 6.5 mm	1.5-4	450	100
1488263	SCVH 4-10	With mounting hole Ø 6.5 mm	4-10	950	100
1488265	SCVH 10-15	With mounting hole Ø 6.5 mm	10-15	950	100
1488267	SCVH 15-20	With mounting hole Ø 6.5 mm	15-20	950	100



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488551	SKL 1.5-5	With mounting hole Ø 6.5 mm	1.5-5	720	100
1488553	SKL 5-7	With mounting hole Ø 6.5 mm	5-7	720	100



## Support clamp with threaded bolt

Support clamp with M6 threaded bolt at side for individual mounting solutions. Fastening through knocking onto steel girders.



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488271	SCVTB 1.5-4 M6	With threaded bolt M6x9 mm	1.5-4	450	100
1488273	SCVTB 4-10 M6	With threaded bolt M6x9 mm	4-10	450	100
1488275	SCVTB 10-15 M6	With threaded bolt M6x9 mm	10-15	450	100
1488277	SCVTB 15-20 M6	With threaded bolt M6x9 mm	15-20	450	100



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488291	SCUTB 3-7 M6	With threaded bolt M6x9 mm	3-7	450	100
1488293	SCUTB 7-13 M6	With threaded bolt M6x9 mm	7-13	450	100
1488295	SCUTB 14-20 M6	With threaded bolt M6x9 mm	14-20	450	100

## Support clamp with female thread

Support clamp with M6 female thread for individual mounting solutions. Fastening through knocking onto steel girders.



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488281	SCUIT 3-7 M6	With female thread M6	3-7	450	100
1488283	SCUIT 7-13 M6	With female thread M6	7-13	450	100
1488285	SCUIT 14-20 M6	With female thread M6	14-20	450	100



## Support clamp for cable ties

Support clamp for cable ties for mounting cables and pipes. Fastening through knocking onto steel girders. Cable ties not contained in scope of supply.



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488301	SCCT 1.5-4	For cable tie widths of up to 8 mm	1.5-4	220	50
1488303	SCCT 4-10	For cable tie widths of up to 8 mm	4-10	220	50 50
1488307	SCCT 10-15	For cable tie widths of up to 8 mm	10-15	220	50 50
1488311	SCCT 15-20	For cable tie widths of up to 8 mm	15-20	220	50 50



## Support clamp for threaded rod

Support clamp with threaded rod seat for individual mounting solutions. Fastening through knocking onto steel girders.



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488321	SCTR 4-10 M6	For threaded rod M6	4-10	650	50
1488323	SCTR 10-15 M6	For threaded rod M6	10-15	650	50
1488325	SCTR 4-10 M8	For threaded rod M8	4-10	700	50
1488327	SCTR 10-15 M8	For threaded rod M8	10-15	700	50
1488329	SCTR 4-10 M10	For threaded rod M10	4-10	750	50
1488331	SCTR 10-15 M10	For threaded rod M10	10-15	750	50



## Support clamp with pipe seat

Support clamp for mounting pipes. Closed pipe seat at side. Fastening through knocking onto steel girders.



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488343	SCHPC 1.5-4 D25	With pipe seat Ø 20-25 mm	1.5-4	450	50 50
1488345	SCHPC 1.5-4 D32	With pipe seat Ø 30-32 mm	1.5-4	450	50
1488349	SCHPC 4-10 D25	With pipe seat Ø 20-25 mm	4-10	450	50 50
1488351	SCHPC 4-10 D32	With pipe seat Ø 30-32 mm	4-10	450	50
1488353	SCHPC 4-10 D40	With pipe seat Ø 36-40 mm	4-10	450	50
1488363	SCHPC 10-15 D25	With pipe seat Ø 20-25 mm	10-15	450	50 50
1488365	SCHPC 10-15 D32	With pipe seat Ø 30-32 mm	10-15	450	50
1488367	SCHPC 10-15 D40	With pipe seat Ø 36-40 mm	10-15	450	50
1488373	SCHPC 15-20 D25	With pipe seat Ø 20-25 mm	15-20	450	50
1488375	SCHPC 15-20 D32	With pipe seat Ø 30-32 mm	15-20	450	50
1488377	SCHPC 15-20 D40	With pipe seat Ø 36-40 mm	15-20	450	50



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488621	SCVPC 3-7 D25	With pipe seat at bottom, Ø 20-25mm	3-7	450	50 50
1488623	SCVPC 3-7 D32	With pipe seat at bottom, Ø 30-32mm	3-7	450	50
1488625	SCVPC 3-7 D40	With pipe seat at bottom, Ø 36-40mm	3-7	450	50
1488629	SCVPC 7-13 D25	With pipe seat at bottom, Ø 20-25mm	7-13	450	50 50
1488631	SCVPC 7-13 D32	With pipe seat at bottom, Ø 30-32mm	7-13	450	50
1488633	SCVPC 7-13 D40	With pipe seat at bottom, Ø 36-40mm	7-13	450	50
1488637	SCVPC 14-20 D25	With pipe seat at bottom, Ø 20-25mm	14-20	450	50 50
1488639	SCVPC 14-20 D32	With pipe seat at bottom, Ø 30-32mm	14-20	450	50
1488641	SCVPC 14-20 D40	With pipe seat at bottom, Ø 36-40mm	14-20	450	50



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488411	SCHPO 1.5-4 D20	With pipe seat Ø 20 mm	1.5-4	110	50
1488413	SCHPO 1.5-4 D25	With pipe seat Ø 25 mm	1.5-4	110	50
1488415	SCHPO 1.5-4 D32	With pipe seat Ø 32 mm	1.5-4	110	50
1488421	SCHPO 4-10 D20	With pipe seat Ø 20 mm	4-10	110	50
1488423	SCHPO 4-10 D25	With pipe seat Ø 25 mm	4-10	110	50
1488425	SCHPO 4-10 D32	With pipe seat Ø 32 mm	4-10	110	50
1488431	SCHPO 10-15 D20	With pipe seat Ø 20 mm	10-15	110	50
1488433	SCHPO 10-15 D25	With pipe seat Ø 25 mm	10-15	110	50
1488435	SCHPO 10-15 D32	With pipe seat Ø 32 mm	10-15	110	50
1488441	SCHPO 15-20 D20	With pipe seat Ø 20 mm	15-20	110	50
1488443	SCHPO 15-20 D25	With pipe seat Ø 25 mm	15-20	110	50
1488445	SCHPO 15-20 D32	With pipe seat Ø 32 mm	15-20	110	50



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488381	SCVPO 3-7 D20	With pipe seat at bottom, Ø 20 mm	3-7	110	50
1488383	SCVPO 3-7 D25	With pipe seat at bottom, Ø 25 mm	3-7	110	50
1488387	SCVPO 3-7 D32	With pipe seat at bottom, Ø 32 mm	3-7	110	50
1488391	SCVPO 7-13 D20	With pipe seat at bottom, Ø 20 mm	7-13	110	50
1488393	SCVPO 7-13 D25	With pipe seat at bottom, Ø 25 mm	7-13	110	50
1488395	SCVPO 7-13 D32	With pipe seat at bottom, Ø 32 mm	7-13	110	50
1488401	SCVPO 14-20 D20	With pipe seat at bottom, Ø 20 mm	14-20	110	50
1488403	SCVPO 14-20 D25	With pipe seat at bottom, Ø 25 mm	14-20	110	50
1488405	SCVPO 14-20 D32	With pipe seat at bottom, Ø 32 mm	14-20	110	50



## Support clamp for cables

Support clamp for mounting cables. Open cable seat at side. Fastening through knocking onto steel girders.



Item no.	Type	Description	Flange thickness	PU
1488451	SCC 1-4 D5.5	For cables, Ø 4.5-5.5 mm	1-4	100
1488453	SCC 1-4 D7	For cables, Ø 6-7 mm	1-4	100
1488455	SCC 1-4 D9	For cables, Ø 8-9 mm	1-4	100
1488457	SCC 1-4 D11	For cables, Ø 10-11 mm	1-4	100
1488461	SCC 1-4 D14	For cables, Ø 12-14 mm	1-4	100
1488465	SCC 1-4 D18	For cables, Ø 15-18 mm	1-4	100
1488469	SCC 1-4 D24	For cables, Ø 19-24 mm	1-4	100
1488473	SCC 1-4 D30	For cables, Ø 25-30 mm	1-4	100
1488481	SCC 4-7.5 D5.5	For cables, Ø 4.5-5.5 mm	4-7.5	100
1488483	SCC 4-7.5 D7	For cables, Ø 6-7 mm	4-7.5	100
1488485	SCC 4-7.5 D9	For cables, Ø 8-9 mm	4-7.5	100
1488487	SCC 4-7.5 D11	For cables, Ø 10-11 mm	4-7.5	100
1488491	SCC 4-7.5 D14	For cables, Ø 12-14 mm	4-7.5	100
1488495	SCC 4-7.5 D18	For cables, Ø 15-18 mm	4-7.5	100
1488501	SCC 4-7.5 D24	For cables, Ø 19-24 mm	4-7.5	100
1488505	SCC 4-7.5 D30	For cables, Ø 25-30 mm	4-7.5	100
1488510	SCC 7.5-12 D5.5	For cables, Ø 4.5-5.5 mm	7.5-12	100
1488511	SCC 7.5-12 D7	For cables, Ø 6-7 mm	7.5-12	100
1488513	SCC 7.5-12 D9	For cables, Ø 8-9 mm	7.5-12	100
1488515	SCC 7.5-12 D11	For cables, Ø 10-11 mm	7.5-12	100
1488519	SCC 7.5-12 D14	For cables, Ø 12-14 mm	7.5-12	100
1488523	SCC 7.5-12 D18	For cables, Ø 15-18 mm	7.5-12	100
1488527	SCC 7.5-12 D24	For cables, Ø 19-24 mm	7.5-12	100
1488531	SCC 7.5-12 D30	For cables, Ø 25-30 mm	7.5-12	100



Item no.	Type	Description	Flange thickness	PU
1488609	SCCA 12-15	Seat piece for SCC 1-4	12-15	100
1488611	SCCA 16-20	Seat piece for SCC 1-4	16-20	100



## Ceiling profile clamp

Ceiling profile clamp with threaded bolt for individual mounting solutions on suspended ceilings. Fastening through knocking onto steel girders.



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488601	SPC M6x9	Ceiling profile clamp with threaded bolt M6x9 mm	-	220	100
1488603	SPC M6x16	Ceiling profile clamp with threaded bolt M6x16 mm	-	220	100
1488605	SPC M6x25	Ceiling profile clamp with threaded bolt M6x25 mm	-	220	100

Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488607	SPCN M6	Locknut for M6 ceiling profile clamp	-	220	100

## Screw-in support clamp

Screw-in support clamp for individual mounting solutions. Fastening on steel girders by screwing on.



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488587	SK 213	Screw-in support clamp	2-16	550	100

Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488591	SKS 213 D20/25	With pipe seat Ø 20–25 mm	2-16	450	50
1488593	SKS 213 D32	With pipe seat Ø 30–32 mm	2-16	450	50
1488595	SKS 213 D40	With pipe seat Ø 36–40 mm	2-16	450	50

# Support clamp, multifunctional

Multifunctional support clamp for mounting cables, protection pipes and cable sections. Fastening through knocking onto steel girders.



Item no.	Type	Description	Flange thickness	Breaking load N	PU
1488560	SK Multi 3-8	Multifunctional	3-8	1200	100
1488564	SK Multi 8-14	Multifunctional	8-14	1200	100
1488568	SK Multi 14-20	Multifunctional	14-20	1200	50

**OBO Bettermann Holding GmbH & Co. KG**

P.O. Box 1120  
58694 Menden  
GERMANY

**Customer Service**

Tel.:+49 23 73 89 - 17 00  
export@obo.de

[www.obo-bettermann.com](http://www.obo-bettermann.com)

© OBO Bettermann 04/2024 EN

**Building Connections**

